

# 520-40/520-50/524-50 TELESCOPIC HANDLER.

## 1. The vision to succeed

JCB telehandlers benefit from a forward cab position; the resulting all-round visibility helps operators achieve maximum productivity.

## 2. Full-size cab

Our distinctive low offset boom design allows us to install a proper-sized cab in our Loadalls for high levels of comfort.

## 3. Simple servicing

We've designed our telehandler range so that all routine servicing and maintenance is easy and efficient.

## 4. The sum of its parts

For ultimate reliability and performance, we design and build all the key components of these machines, like engines, axles and transmissions.

## 5. Operator environment

Controls are properly thought-out and ergonomically positioned to reduce operator fatigue. Optional air conditioning helps to create the perfect workplace.



## 6. Manoeuvrability

Because JCB Loadalls have compact wheelbases and tight steering lock angles, you can operate with speed and efficiency everywhere.



Excellent manoeuvrability in tight spaces.



Lift capacity is impressive for such a small machine.



Lift heights from 4m-5.6m.

		520-40	520-50	524-50
Maximum lift height	m	4.04	5.0	5.3
Maximum lift capacity	kg	2000	2000	2400
Maximum forward reach	m	2.59	2.82	2.9
Lift capacity at full reach	kg	1000	750	1250
Overall height	m	1.97	2.12	2.1
Overall width over tyres	m	1.56	1.84	2.0
Overall length to front carriage	m	3.38	3.59	3.9
Engine (gross)	hp (kW)	49 (36.3)	74 (55)	74 (55)

## ATTACHMENTS.

FROM BUCKETS, SHOVELS, HYDRAULIC POWERPACKS AND TOOLS, TO SPECIALISED PRODUCTS FOR A HUGE RANGE OF APPLICATIONS LIKE SORTING AND DEMOLITION, OUR GENUINE JCB ATTACHMENTS CAN BE PERFECTLY MATCHED TO ANY MACHINE. THEY'RE BACKED BY OUR WORLDWIDE SERVICE TEAM TOO.



Sweeper collector.



Shovel.



Clamp.



Crane hook.



Multi-shovel.

# LIVELINK, WORK SMARTER.

**LIVELINK IS AN INNOVATIVE SOFTWARE SYSTEM THAT LETS YOU MANAGE JCB MACHINES REMOTELY – ONLINE, BY EMAIL OR BY MOBILE PHONE. ACCESS EVERYTHING FROM MACHINE ALERTS TO FUEL REPORTS AND HISTORY INFORMATION, WITH ALL DATA STORED AT A SECURE CENTRE.**

## Productivity and cost benefits

By providing information like idle time monitoring and machine fuel consumption, JCB Livelink helps reduce your fuel usage, saving money and improving productivity. Machine location information can help improve efficiency and perhaps even reduce insurance costs.



## Maintenance benefits

Manage machine maintenance easily – accurate hours monitoring and service alerts improve maintenance planning, while real-time location data helps you manage your fleet. Critical machine alerts and maintenance history records are also available.



## Security benefits

Livelink's real-time geofencing alerts tell you when machines move out of predetermined zones, and real-time curfew alerts inform you of unauthorised usage. Further benefits include real-time location information, advanced ECU matching (pairs Livelink with the immobiliser or ECU), and PIN code management (to remotely authorise usage – perfect for plant hire).



# VALUE ADDED.

JCB'S WORLDWIDE CUSTOMER SUPPORT IS FIRST CLASS. WHATEVER YOU NEED AND WHEREVER YOU ARE, WE'LL BE AVAILABLE QUICKLY AND EFFICIENTLY TO HELP MAKE SURE YOUR MACHINERY IS PERFORMING TO ITS FULL POTENTIAL.



1

**1** Our Technical Support Service provides instant access to factory expertise, day or night, while our Finance and Insurance teams are always on hand to provide fast, flexible, competitive quotes.

**2** The global network of JCB Parts Centres is another model of efficiency; with 16 regional bases, we can deliver around 95% of all parts anywhere in the world within 24 hours. Our genuine JCB parts are designed to work in perfect harmony with your machine for optimum performance and productivity.




2

**3** JCB Assetcare offers comprehensive extended warranties and service agreements, as well as service-only or repair and maintenance contracts. Irrespective of what you opt for, our maintenance teams around the world charge competitive labour rates, and offer non-obligation quotations as well as fast, efficient insurance repair work.



3

*Note: JCB LIVELINK and JCB ASSETCARE may not be available in your region, so please check with your local dealer.*





**ONE COMPANY, OVER 300 MACHINES.**

Your nearest JCB dealer

**TELESCOPIC HANDLER RANGE**

JCB Sales Limited, Rokester, Staffordshire, United Kingdom ST14 5JP.  
 Tel: +44 (0)1889 590312 Email: salesinfo@jcb.com  
 Download the very latest information on this product range at: [www.jcb.com](http://www.jcb.com)

©2009 JCB Sales. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying or otherwise, without prior permission from JCB Sales. All references in this publication to operating weights, sizes, capacities and other performance measurements are provided for guidance only and may vary dependant upon the exact specification of machine. They should not therefore be relied upon in relation to suitability for a particular application. Guidance and advice should always be sought from your JCB Dealer. JCB reserves the right to change specifications without notice. Illustrations and specifications shown may include optional equipment and accessories. The JCB logo is a registered trademark of J C Bamford Excavators Ltd.

