

550-80/560-80 WASTEMASTER.

1. High capacity

JCB's 550-80/560-80 is the heaviest-lifting Loadall in our European range. It's got excellent lift capacity at reach too.

2. Breaking new ground

With a huge 65kN (6.5 Tonnes) breakout force, you get wheeled loading shovel performance from a machine with an 8m lift height.

3. Bulk handling

A tough Z-bar linkage, up to 6-tonne lift capacity and a powerful EcoMAX engine make this Loadall ideally suited to bulk handling applications.

5. Ultimate performance

The 550-80/560-80's Z-bar linkage makes this our toughest-ever telescopic boom, while our new fast-flow oil return improves cycle times by speeding up boom lowering and retraction.

4. Powered by EcoMAX

Our all-new award-winning EcoMAX engine meets Stage IIIB/Tier 4i legislation without using a bulky DPF, which, in turn, brings benefits like great visibility, low running costs and more uptime.

6. Getting around

Its compact wheelbase and tight steering lock angles make the 550-80/560-80 extremely manoeuvrable for its large capacity.



Best-in-class comfort with one of the largest cabs in the industry. The cab conforms to ROPS ISO 3471 and FOPS ISO 3449 and puts the operator firmly in control.



Servo single-lever joystick



Highly efficient ventilation system.

		550-80	560-80
Maximum lift height	m	8.1	7.9
Maximum lift capacity	kg	4999	6000
Maximum forward reach	m	4.47	4.41
Lift capacity at full reach	kg	1500	1750
Overall height	m	2.5	2.59
Overall width over tyres	m	2.5	2.42
Overall length to front carriage	m	5.27	5.27
Engine (gross)	hp (kW)	125 (93)	125 (93)

ATTACHMENTS.

FROM BUCKETS, SHOVELS, HYDRAULIC POWERPACKS AND TOOLS, TO SPECIALISED PRODUCTS FOR A HUGE RANGE OF APPLICATIONS LIKE SORTING AND DEMOLITION, OUR GENUINE JCB ATTACHMENTS CAN BE PERFECTLY MATCHED TO ANY MACHINE. THEY'RE BACKED BY OUR WORLDWIDE SERVICE TEAM TOO.



Sweeper collector.



Shovel.



Clamp.



Crane hook.



Multi-shovel.




LIVELINK, WORK SMARTER.

LIVELINK IS AN INNOVATIVE SOFTWARE SYSTEM THAT LETS YOU MANAGE JCB MACHINES REMOTELY – ONLINE, BY EMAIL OR BY MOBILE PHONE. ACCESS EVERYTHING FROM MACHINE ALERTS TO FUEL REPORTS AND HISTORY INFORMATION, WITH ALL DATA STORED AT A SECURE CENTRE.

Productivity and cost benefits

By providing information like idle time monitoring and machine fuel consumption, JCB Livelink helps reduce your fuel usage, saving money and improving productivity. Machine location information can help improve efficiency and perhaps even reduce insurance costs.



Maintenance benefits

Manage machine maintenance easily – accurate hours monitoring and service alerts improve maintenance planning, while real-time location data helps you manage your fleet. Critical machine alerts and maintenance history records are also available.



Security benefits

Livelink's real-time geofencing alerts tell you when machines move out of predetermined zones, and real-time curfew alerts inform you of unauthorised usage. Further benefits include real-time location information, advanced ECU matching (pairs Livelink with the immobiliser or ECU), and PIN code management (to remotely authorise usage – perfect for plant hire).



VALUE ADDED.

JCB'S WORLDWIDE CUSTOMER SUPPORT IS FIRST CLASS. WHATEVER YOU NEED AND WHEREVER YOU ARE, WE'LL BE AVAILABLE QUICKLY AND EFFICIENTLY TO HELP MAKE SURE YOUR MACHINERY IS PERFORMING TO ITS FULL POTENTIAL.



1

1 Our Technical Support Service provides instant access to factory expertise, day or night, while our Finance and Insurance teams are always on hand to provide fast, flexible, competitive quotes.

2 The global network of JCB Parts Centres is another model of efficiency; with 16 regional bases, we can deliver around 95% of all parts anywhere in the world within 24 hours. Our genuine JCB parts are designed to work in perfect harmony with your machine for optimum performance and productivity.




2

3 JCB Assetcare offers comprehensive extended warranties and service agreements, as well as service-only or repair and maintenance contracts. Irrespective of what you opt for, our maintenance teams around the world charge competitive labour rates, and offer non-obligation quotations as well as fast, efficient insurance repair work.



3

Note: JCB LIVELINK and JCB ASSETCARE may not be available in your region, so please check with your local dealer.









ONE COMPANY, OVER 300 MACHINES.

Your nearest JCB dealer

TELESCOPIC HANDLER RANGE

JCB Sales Limited, Rocester, Staffordshire, United Kingdom ST14 5JP.

Tel: +44 (0)1889 590312 Email: salesinfo@jcb.com

Download the very latest information on this product range at: www.jcb.com

©2009 JCB Sales. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying or otherwise, without prior permission from JCB Sales. All references in this publication to operating weights, sizes, capacities and other performance measurements are provided for guidance only and may vary dependant upon the exact specification of machine. They should not therefore be relied upon in relation to suitability for a particular application. Guidance and advice should always be sought from your JCB Dealer. JCB reserves the right to change specifications without notice. Illustrations and specifications shown may include optional equipment and accessories. The JCB logo is a registered trademark of J C Bamford Excavators Ltd.

